

OLYMPUS


Your Vision, Our Future

OES PRO

SINGLE CHANNEL URETEROSCOPE



OES PRO URETEROSCOPE



Long lasting autoclavability guaranteed



- Number of image fibers increased by 65 %* (compared to predecessor model)
- Extra slim insertion tube
- 7° direction of view for improved instrument visualization
- Atraumatic tip design
- Ergonomic design
- Made of highly durable and chemically resistant stainless steel

50,000 FIBERS* FOR ZERO PIXELATION





Image size increased by 25 %



Ureteroscopes with angled and straight oculars



Stainless-steel attachment



Self-sealing valves

*WA29042A

OES PRO URETEROSCOPE

OES Pro Ureteroscopes




Ureteroscope,
7° direction of view, angled ocular,
6.4/7.8 Fr. x 430 mm, 4.2 Fr. channel,
WA29040A with attachment WA00395A
WA29040B with attachment A0395

Ureteroscope,
7° direction of view, angled ocular,
6.4/7.8 Fr. x 330 mm, 4.2 Fr. channel
WA29041A with attachment WA00395A
WA29041B with attachment A0395

Ureteroscope,
7° direction of view, angled ocular,
8.6/9.8 Fr. x 430 mm, 6.4 Fr. channel
WA29042A with attachment WA00396A
WA29042B with attachment A0396

Passage of working channels [Fr.]

Ureteroscope	Attachment one-way	Attachment two-way
	WA00395A/A0395	WA00396A/A0396
WA29040A/-B.....	3.5	
WA29041A/-B.....	3.5	
WA29042A/-B.....	5.4	5.4 or 3.0 + 2.5



Ureteroscope,
7° direction of view, straight ocular,
6.4/7.8 Fr. x 430 mm, 4.2 Fr. channel
WA29048A with attachment WA00395A
WA29048B with attachment A0395

Ureteroscope,
7° direction of view, straight ocular,
6.4/7.8 Fr. x 330 mm, 4.2 Fr. channel
WA29049A with attachment WA00395A
WA29049B with attachment A0395


Passage of working channels [Fr.]

Ureteroscope	Attachment one-way
	WA00395A/A0395
WA29048A/-B, WA29049A/-B.....	3.5


Delivery includes: Telescope, attachment, instrument tray, sealing caps

Attachments with Self-Sealing Caps

WA00395A Attachment, one-way, with two irrigation ports



WA00396A Attachment, two-way, with two irrigation ports




WA00387A Sealing cap, 0.7 mm, transparent, 10 pcs., sterile, single use




Attachments with Stopcocks

A0395 Attachment, one-way, with two irrigation ports



A0396 Attachment, two-way, with two irrigation ports



A0387 Sealing cap, 0.7 mm, 10 pcs., black



A0286 Sealing cap, 0.4 mm, kink protection, black




Light-Guide Cable and Adapter

WA03200A Light-guide cable, size S, plug-type, 3 m



A0460 Light-guide adapter, for OES 4000 light-guide cables for Wolf light-guide cables

O0332



Instrument Tray

A5961 Instrument tray, for ureteroscope and light-guide cable

