




# VisiGlide and VisiGlide 2

**Single-Use Guidewire for ERCP** 



#### The VisiGlide Line of Guidewires

#### **Unique 0.025-inch Guidewire Concept**

With clinically proven cannulation success\*, VisiGlide and VisiGlide 2 set a new standard in guidewire design, which significantly expands the range of applicable procedures.



#### **Excellent Torqueability**


A special inner core achieves excellent one-to-one torque control that comes into its own during delicate procedures such as navigating biliary strictures.






#### **Stiffness and Flexibility**

The VisiGlide and VisiGlide 2, designed in collaboration with Terumo Corporation, provide the equivalent support of a regular 0.035-inch guidewire with a 0.025-inch diameter.



#### **Clear Endoscopic and Fluoroscopic Visibility**

Endoscopic markings on both the VisiGlide and VisiGlide 2 assist seeing movement of the guidewire, while advanced fluoroscopic visibility ensures that the wires are fully visible in virtually any situation and can aid with stricture and stent measurement.




<sup>\*</sup> Albert JG et al. A novel, stiff-shaft, flexible-tip guidewire for cannulation of biliary stricture during endoscopic retrograde cholangiopancreatography: a randomized trial. Endoscopy 2014; 46(10): 857–61

### VisiGlide

#### **Unprecedented Insertion Capability**

VisiGlide has been designed to provide the optimal combination of stiffness and flexibility, enabling difficult strictures to be efficiently passed and effective access maintained.






#### **Superb Cannulation Performance**

Primary cannulation success was significantly higher (up to 94%) compared with a fully hydrophilic and nitinol guidewire combination\*.


VisiGlide could replace using a combination of flexible and stable guidewires and increase the success rate of cannulation while decreasing the procedure time.







# VisiGlide 2





# VisiGlide VisiGlide 2

#### VisiGlide VisiGlide Guidewire


Article Name	Article Number	Quantity	Guidewire Ø	Working Length	Hydrophilic Coated Length	Shape of Distal Tip
G-240-2527S	N3622130	1	0.025"	2700 mm	70 mm	Straight
G-240-2527A	N3622230	1			70 mm	Angled
G-240-2545S	N3622330	1		4500 mm	70 mm	Straight
G-240-2545A	N3622430	1			70 mm	Angled
G-240-3527S	N3622530	1	0.035"	2700 mm	70 mm	Straight
G-240-3527A	N3622630	1			70 mm	Angled
G-240-3545S	N3622730	1		4500 mm	70 mm	Straight
G-240-3545A	N3622830	1			70 mm	Angled

#### VisiGlide 2 Guidewire

# VisiGlide 2

Article Name	Article Number	Quantity	Guidewire Ø	Working Length	Hydrophilic Coated Length	Shape of Distal Tip
G-260-2527S	N5367630	1	0.025"	2700 mm	70 mm	Straight
G-260-2527A	N5367730	1			70 mm	Angled
G-260-2545S	N5368030	1		4500 mm	70 mm	Straight
G-260-2545A	N5368130	1 _			70 mm	Angled
G-260-3527S	N5367830	1	0.035"	2700 mm	70 mm	Straight
G-260-3527A	N5367930	1			70 mm	Angled
G-260-3545S	N5368230	1		4500 mm	70 mm	Straight
G-260-3545A	N5368330	1			70 mm	Angled





Straight distal tip

Angled distal tip